

69/911,614

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	1308	compressor and discharge and (valve with (curved or tapered or angled or conical or cone or cone-shaped or bowl or bowl-shaped))	USPAT; EPO; JPO; DERWE NT
2	BRS	L2	818	1 and port	USPAT; EPO; JPO; DERWE NT
3	BRS	L3	584	2 and spring	USPAT; EPO; JPO; DERWE NT
4	BRS	L4	1078	compressor and discharge and (valve with (curved or tapered or angled or conical or cone or cone-shaped or bowl or bowl-shaped)) and spring	USOCR
5	BRS	L5	791	4 and port	USOCR

	Type	L #	Hits	Search Text	DBs
6	BRS	L6	251	417/559.ccls.	USPAT
7	BRS	L7	738	137/540.ccls.	USPAT
8	BRS	L8	0	137/543.17ccls.	USPAT
9	BRS	L9	231	137/543.17.ccls.	USPAT
10	BRS	L10	957	251/333.ccls.	USPAT

u17/g68

09/911,614

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	202604	417/\$.cccls. or 137/\$.cccls. or 251/\$.cccls.	USPA T
2	BRS	L2	2395	1 and valve and seat and compress\$3 and (valve with taper\$3)	USPA T
3	BRS	L3	1370	2 and (seat with taper\$3)	USPA T
4	BRS	L4	483	3 and (port with (discharge or outlet))	USPA T

	Type	Hits	Search Text	DBs
23	BRS	0	10/108,518	USPAT; EPO; JPO; DERWENT
24	BRS	1	10/108,518	US-PGPUB
25	BRS	1	Zabar-N\$.in.	US-PGPUB
26	BRS	31	Nara-K\$.in.	US-PGPUB
27	BRS	552	(discharge or outlet) and (valve with taper\$3 with (gap or space))	USPAT; US-PGPUB; EPO; JPO; DERWENT
28	BRS	35	417/\$.ccls. and (discharge or outlet) and (valve with taper\$3 with (gap or space))	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	BRS	4	417/\$.ccls. and (discharge or outlet) and (valve with seat with (curv\$2 or taper\$3) with (gap or space))	USPAT; US-PGPUB; EPO; JPO; DERWENT
30	BRS	64	137/\$.ccls. and (discharge or outlet) and (valve with seat with (curv\$2 or taper\$3) with (gap or space))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L3	45	137/\$.ccls. and (discharge or outlet) and (valve with seat with (curv\$2 or taper\$3) with (gap or space)) and spring	USPA T; US-P GPUB ; EPO; 07:46 JPO; DERW ENT	2003/06/16	
2	BRS	L4	34	251/\$.ccls. and (discharge or outlet) and (valve with seat with (curv\$2 or taper\$3) with (gap or space)) and spring	USPA T; US-P GPUB ; EPO; 07:46 JPO; DERW ENT	2003/06/16	